



# CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 00

DATE: 01/05/2024

Analysis ID No. 240023  
 TDA License No. 2020002  
 ISO/IEC No. 1055838  
 Purchase Order: 20240006  
 Page No. Page 1 of 2



## ALKALOIDS ASSAY

Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	1.241 w/w% 12.406 mg/g	Results Reported
Paynantheine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.268 w/w% 2.679 mg/g	Results Reported
Speciogynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.145 w/w% 1.452 mg/g	Results Reported
Speciociliatine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	0.365 w/w% 3.654 mg/g	Results Reported
7-OH-Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only % of Total Alkaloids: NMT 2%	< 0.010 w/w%	PASS
Mitraphylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	< 0.010 w/w%	Results Reported
Isorhynchophylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	< 0.010 w/w%	Results Reported
Corynoxine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	< 0.010 w/w%	Results Reported
Total Alkaloids	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only	2.019 w/w% 20.190 mg/g	Results Reported

## MICROBIOLOGICAL ASSAY

Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Total Aerobic Plate Count (TAPC)	Isolation Agar	20 CFU/gm	NMT 10,000,000 CFU/gm	130 CFU/gm	PASS
Total Yeast & Mold (TYM)	Isolation Agar	20 CFU/gm	NMT 100,000 CFU/gm	< LOQ	PASS
Coliforms	Isolation Agar	20 CFU/gm	NMT 10,000 CFU/gm	< LOQ	PASS
Escherichia coli (E.coli)	Isolation Agar	1 CFU/10 gm	Absent in 10 gm	Absent	PASS
Salmonella	Isolation Agar	1 CFU/25 gm	Absent in 25 gm	Absent	PASS

# CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 00

DATE: 01/05/2024

Analysis ID No. 240023  
TDA License No. 2020002  
ISO/IEC No. 1055838  
Purchase Order: 20240006  
Page No. Page 2 of 2


HEAVY METALS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Lead	USP <232> <233> by ICP-MS	10 ppb	NMT 1,000 ppb	387.6 ppb	PASS
Mercury	USP <232> <233> by ICP-MS	5 ppb	NMT 500 ppb	19.3 ppb	PASS
Arsenic	USP <232> <233> by ICP-MS	10 ppb	NMT 1,500 ppb	137.3 ppb	PASS
Cadmium	USP <232> <233> by ICP-MS	10 ppb	NMT 300 ppb	26.4 ppb	PASS
Nickel	USP <232> <233> by ICP-MS	50 ppb	NMT 20,000 ppb	3,208.8 ppb	PASS

TESTING FACILITY INFORMATION	SAMPLE INFORMATION
<b>Santé Laboratories</b> 8201 East Riverside Drive, STE 650 Austin, Texas 78744 USA	<b>Santé Sample ID:</b> 240023 <b>Receipt Date:</b> 01/02/2024 / 09:00 AM CST / J. Leiva <b>Receipt Condition:</b> Good <b>Analysis Start Date:</b> 01/02/2024

ADDITIONAL REPORT NOTES
<p>The reported results presented in this document is only applicable to samples submitted to Santé Laboratories for testing and may not represent the entire lot and/or batch produced by the manufacturer. <b>Heavy metal specifications according to limits defined by Texas DSHS for consumable hemp. Nickel specification according to oral drug products per USP &lt;232&gt;. Microbiological specifications follow AHPA guidelines for botanical ingredients (non-extract).</b></p> <p>©2020 Santé Laboratories, LLC – All Rights Reserved</p>

VERSION HISTORY		
Version	Effective Date	Summary of Changes
00	01/05/2024	Initial Release

PRODUCT SAMPLE / IMAGE


REVIEWED AND APPROVED BY
<p>DocuSigned by:  Yvonne Rivera E49DDA845186484... Data Management Specialist Santé Laboratories</p> <p>05 January 2024   12:35:57 PM PST Date</p>